

Trade name: Bright silver bath JE36

Substance number: 6625.0000:

Version: 1 / WORLD

Date revised: 28.01.2026

Replaces Version: - / WORLD

Print date: 07.04.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Bright silver bath JE36

UFI: J8J0-W0JD-H00M-SH58

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Galvanic Bath, do not use for private purposes, food, beverages, or animal feed.

Identified Uses

PC14

Metal surface treatment products, including galvanic and electroplating products

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Jentner Plating Technology GmbH

Johann-Staib-Straße 2

75179 Pforzheim, DE

Telephone no. +49 (0) 7231 4180940

Information provided Laboratory department; Opening hours 8:00-16:00

by / telephone

E-mail address of sales@jentner.de

person responsible

for this SDS

1.4. Emergency telephone number

Emergency: +44 1865 407333 Transport code: JENTNERPLATINGTECH-29003

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 3 H301

Acute Tox. 3 H311

Acute Tox. 2 H330

Skin Corr. 1A H314

Eye Dam. 1 H318

STOT RE 1 H372

Aquatic Chronic 2 H411

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Bright silver bath JE36

Substance number: 6625.0000:

Version: 1 / WORLD

Date revised: 28.01.2026

Replaces Version: - / WORLD

Print date: 07.04.2026

Hazard pictograms



Signal word

Danger

Hazard statements

H330 Fatal if inhaled.
H314 Causes severe skin burns and eye damage.
H372 Causes damage to organs through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.
EUH071 Corrosive to the respiratory tract.
H301+H311 Toxic if swallowed or in contact with skin.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P284 [In case of inadequate ventilation] wear respiratory protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor.
P501.9 Dispose of contents/container as problematic waste.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains Potassium dicyanoargentate ; Potassium cyanide

2.3. Other hazards

Harmful in contact with skin and if swallowed.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

Hazardous ingredients

Potassium cyanide

CAS No. 151-50-8
EINECS no. 205-792-3
Registration no. 01-2119486407-29
Concentration >= 10 < 14 %
Classification (Regulation (EC) No. 1272/2008)
Acute Tox. 1 H300
Acute Tox. 2 H330

Trade name: Bright silver bath JE36

Substance number: 6625.0000:

Version: 1 / WORLD

Date revised: 28.01.2026

Replaces Version: - / WORLD

Print date: 07.04.2026

Acute Tox. 1	H310
STOT RE 1	H372
Aquatic Acute 1	H400
Aquatic Chronic 1	H410
Skin Irrit. 2	H315
Eye Irrit. 2	H319

ATE	oral	7,49	mg/kg
ATE	dermal	33	mg/kg
cATpE	inhalative, Dust/Mist	0,05	mg/l

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note A

Potassium dicyanoargentate

CAS No. 506-61-6

EINECS no. 208-047-0

Concentration \geq 5 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Met. Corr. 1	H290
Skin Corr. 1A	H314
Eye Dam. 1	H318
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Potassium carbonate

CAS No. 584-08-7

EINECS no. 209-529-3

Registration no. 01-2119532646-36

Concentration \geq 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Skin Irrit. 2	H315
Eye Irrit. 2	H319
STOT SE 3	H335

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Remove contaminated, soaked clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

After inhalation

Ensure supply of fresh air. Remove affected person from danger area. Seek medical advice immediately.

After skin contact

Wash off immediately with soap and water. Seek medical advice immediately.

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Bright silver bath JE36

Substance number: 6625.0000:

Version: 1 / WORLD

Date revised: 28.01.2026

Replaces Version: - / WORLD

Print date: 07.04.2026

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry powder

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations. Observe manufacturer's / distributor's instructions.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Trade name: Bright silver bath JE36

Substance number: 6625.0000:

Version: 1 / WORLD

Date revised: 28.01.2026

Replaces Version: - / WORLD

Print date: 07.04.2026

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Perform filling operations only at stations with exhaust ventilation facilities. Provide suitable exhaust ventilation at the processing machines. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Provide solvent-resistant and impermeable floor.

Hints on storage assembly

Do not store together with foodstuffs.

Storage classes

Storage class according to TRGS 510 6.1B

Non-combustible substances of acute toxicity, categories 1 and 2 / very toxic hazardous substances

Further information on storage conditions

Keep under lock and key or accessible only to specialists or people who are authorized.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

Contains no substances with occupational exposure limit values.

Derived No/Minimal Effect Levels (DNEL/DMEL)

Potassium carbonate

Reference group	Worker	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	10	mg/m ³

Potassium dicyanoargentate

Type of value	Derived No Effect Level (DNEL)
Reference group	Professional use

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Bright silver bath JE36

Substance number: 6625.0000:

Version: 1 / WORLD

Date revised: 28.01.2026

Replaces Version: - / WORLD

Print date: 07.04.2026

Duration of exposure Acute
Route of exposure oral
Mode of action Acute effects
Concentration = 4,5 mg/kg

Type of value Derived No Effect Level (DNEL)
Reference group Professional use
Duration of exposure Long term
Route of exposure oral
Concentration = 0,05 mg/kg

Type of value Derived No Effect Level (DNEL)
Reference group Industrial use
Duration of exposure Acute
Route of exposure oral
Mode of action Acute effects
Concentration = 4,5 mg/kg

Type of value Derived No Effect Level (DNEL)
Reference group Industrial use
Duration of exposure Long term
Route of exposure oral
Concentration = 0,05 mg/kg

Predicted No Effect Concentration (PNEC)**Potassium dicyanoargentate**

Type of value PNEC
Type Water
Concentration = 0,03 µg/l

Potassium cyanide

Type of value PNEC
Type Fresh water
Concentration = 0,001 mg/l

Type of value PNEC
Type Saltwater
Concentration = 0,001 mg/l

Type of value PNEC
Type Sediment
Concentration = 0,004 mg/kg

Type of value PNEC
Type Marine sediment

Trade name: Bright silver bath JE36

Substance number: 6625.0000:

Version: 1 / WORLD

Date revised: 28.01.2026

Replaces Version: - / WORLD

Print date: 07.04.2026

Concentration = 0,004 mg/kg

Type of value PNEC

Type Soil

Concentration = 0,007 mg/kg

8.2. Exposure controls

General protective and hygiene measures

Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn.

Hand protection

Chemical resistant gloves

Appropriate Material neoprene

Eye protection

Safety glasses with side protection shield; Face shield

Body protection

Clothing as usual in the chemical industry. Protective shoes

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid, slightly viscous

Colour black

Odour strongly product-specific

Melting point

Remarks not determined

Freezing point

Remarks not determined

Boiling point or initial boiling point and boiling range

Remarks not determined

Flammability

evaluation not determined

Upper and lower explosive limits

Remarks not determined

Flash point

Remarks Not applicable

Auto-ignition temperature

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Bright silver bath JE36

Substance number: 6625.0000:

Version: 1 / WORLD

Date revised: 28.01.2026

Replaces Version: - / WORLD

Print date: 07.04.2026

Remarks not determined

Decomposition temperature

Remarks not determined

pH value

Value 11,5 to 12,5

Viscosity

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

Density and/or relative density

Value 1,14 g/ml

Temperature °C

Relative vapour density

Remarks not determined

9.2. Other information

Odour threshold

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks not determined

Explosive properties

evaluation not determined

Oxidising properties

Remarks not determined

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

Trade name: Bright silver bath JE36

Substance number: 6625.0000:

Version: 1 / WORLD

Date revised: 28.01.2026

Replaces Version: - / WORLD

Print date: 07.04.2026

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Toxic gases/vapours, Irritant gases/vapours

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

ATE	57,9049	mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)	

Acute oral toxicity (Components)

Potassium carbonate

Species	rat		
LD50	>	2000	mg/kg

Potassium cyanide

Species	rat		
LD50		7,49	mg/kg

Acute dermal toxicity

ATE	255,1218	mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)	

Acute dermal toxicity (Components)

Potassium carbonate

Species	rabbit		
LD50	>	2000	mg/kg

Potassium cyanide

Species	rabbit		
LD50		33	mg/kg

Acute inhalational toxicity

ATE	0,3865	mg/l
Administration/Form	Dust/Mist	
Method	calculated value (Regulation (EC) No. 1272/2008)	
Remarks	The classification criteria are met.	

Acute inhalative toxicity (Components)

Potassium carbonate

Species	Rats (male/female)		
LC50	=	4,96	mg/l
Duration of exposure	=	4,5	h

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Bright silver bath JE36

Substance number: 6625.0000:

Version: 1 / WORLD

Date revised: 28.01.2026

Replaces Version: - / WORLD

Print date: 07.04.2026

Skin corrosion/irritation

evaluation

corrosive

Remarks

The classification criteria are met.

Serious eye damage/irritation

evaluation

corrosive

Remarks

The classification criteria are met.

Sensitization

Remarks

Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks

not determined

Mutagenicity

Remarks

Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks

Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks

Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks

Based on available data, the classification criteria are not met.

Repeated exposure

Remarks

The classification criteria are met.

evaluation

Causes damage to organs through prolonged or repeated exposure

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

No toxicological data are available.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

12.2. Persistence and degradability

General information



Trade name: Bright silver bath JE36

Substance number: 6625.0000:

Version: 1 / WORLD

Date revised: 28.01.2026

Replaces Version: - / WORLD

Print date: 07.04.2026

not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Results of PBT and vPvB assessment

The product contains no PBT substances

The product contains no vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
--	------------------------	---------------------------------	-------------------------

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Bright silver bath JE36







Substance number: 6625.0000:

Version: 1 / WORLD

Date revised: 28.01.2026

Replaces Version: - / WORLD

Print date: 07.04.2026

14.1. UN number or ID number	3289	3289	3289
14.2. UN proper shipping name	TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S., (Potassium cyanide, Potassium dicyanoargentate)	TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S., (Potassium cyanide, Potassium dicyanoargentate)	TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S., (Potassium cyanide, Potassium dicyanoargentate)
14.3. Transport hazard class(es)	6.1	6.1	6.1
Subsidiary risk	8	8	8
Label			
14.4. Packing group	II	II	II
Limited Quantity	100 ml	100 ml	0.5 L
Transport category	2		
14.5. Environmental hazards	 ENVIRONMENTALLY HAZARDOUS	 Marine Pollutant ENVIRONMENTALLY HAZARDOUS	 ENVIRONMENTALLY HAZARDOUS
Tunnel restriction code	D/E		

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Other information**

The product does not contain substances according to Candidate List for inclusion in Annex XIV of Regulation (EC) No. 1907/2006 (REACH) with a content of $\geq 0.1\%$ w/w.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 3

H301

Calculation method

Trade name: Bright silver bath JE36

Substance number: 6625.0000:

Version: 1 / WORLD

Date revised: 28.01.2026

Replaces Version: - / WORLD

Print date: 07.04.2026

Acute Tox. 3	H311	Calculation method
Acute Tox. 2	H330	Calculation method
Skin Corr. 1A	H314	Calculation method
Eye Dam. 1	H318	Calculation method
STOT RE 1	H372	Calculation method
Aquatic Chronic 2	H411	Calculation method

Hazard statements listed in Chapter 2/3

H290	May be corrosive to metals.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

CLP categories listed in Chapter 2/3

Acute Tox. 1	Acute toxicity, Category 1
Acute Tox. 2	Acute toxicity, Category 2
Acute Tox. 3	Acute toxicity, Category 3
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation, Category 2
Met. Corr. 1	Substance or mixture corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion, Category 1A
Skin Irrit. 2	Skin irritation, Category 2
STOT RE 1	Specific target organ toxicity - repeated exposure, Category 1
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
 This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.