

Trade name: Adhesive Nickel Bath JE303

Substance number: 662.0000:

Version: 3 / WORLD

Date revised: 22.10.2025

Replaces Version: 2 / WORLD

Print date: 01.04.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Adhesive Nickel Bath JE303

UFI: NQ30-X0GP-400E-8K32

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Galvanic Bath, do not use for private purposes, food, beverages, or animal feed.

Identified Uses

PC14

Metal surface treatment products, including galvanic and electroplating products

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Jentner Plating Technology GmbH

Johann-Staib-Straße 2

75179 Pforzheim, DE

Telephone no. +49 (0) 7231 4180940

Information provided by / telephone Laboratory department; Opening hours 8:00-16:00

E-mail address of person responsible sales@jentner.de

for this SDS

1.4. Emergency telephone number

Emergency: +44 1865 407333 Transport code: JENTNERPLATINGTECH-29003

SECTION 2: Hazards identification ***

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4	H302
Acute Tox. 4	H332
Skin Corr. 1	H314
Eye Dam. 1	H318
Resp. Sens. 1	H334
Skin Sens. 1	H317
Muta. 2	H341
Carc. 1A	H350i
Repr. 1B	H360D
STOT RE 1	H372
Aquatic Chronic 2	H411

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Adhesive Nickel Bath JE303

Substance number: 662.0000:

Version: 3 / WORLD

Date revised: 22.10.2025

Replaces Version: 2 / WORLD

Print date: 01.04.2026

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H302	Harmful if swallowed.
H332	Harmful if inhaled.
H314	Causes severe skin burns and eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Precautionary statements ***

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	[In case of inadequate ventilation] wear respiratory protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor.
P501.9	Dispose of contents/container as problematic waste.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains nickel dichloride; hydrochloric acid ... %

Supplemental information

Further supplemental information

Restricted to professional users

2.3. Other hazards

Harmful in contact with skin and if swallowed.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does

Trade name: Adhesive Nickel Bath JE303

Substance number: 662.0000:

Version: 3 / WORLD

Date revised: 22.10.2025

Replaces Version: 2 / WORLD

Print date: 01.04.2026

not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

Hazardous ingredients

nickel dichloride

CAS No.	7718-54-9				
EINECS no.	231-743-0				
Concentration	>=	10	<	13	%
Classification (Regulation (EC) No. 1272/2008)					
	Acute Tox. 3			H301	
	Acute Tox. 3			H331	
	Skin Irrit. 2			H315	
	Resp. Sens. 1			H334	
	Skin Sens. 1			H317	
	Muta. 2			H341	
	Carc. 1A			H350i	
	Repr. 1B			H360D	
	STOT RE 1			H372	
	Aquatic Acute 1			H400	
	Aquatic Chronic 1			H410	

Concentration limits (Regulation (EC) No. 1272/2008)

	Skin Irrit. 2	H315	>=	20 %
	Skin Sens. 1	H317	>=	0,01 %
	STOT RE 1	H372	>=	1 %
	STOT RE 2	H373	>=	0,1 < 1 %
	Aquatic Acute 1		M =	1
	Aquatic Chronic 1		M =	1
cATpE	oral		100	mg/kg
cATpE	inhalative, Dust/Mist		0,5	mg/l

hydrochloric acid ... %

CAS No.	7647-01-0				
EINECS no.	231-595-7				
Concentration	>=	1	<	3	%
Classification (Regulation (EC) No. 1272/2008)					
	Skin Corr. 1B			H314	
	STOT SE 3			H335	
	Met. Corr. 1			H290	

Concentration limits (Regulation (EC) No. 1272/2008)

	Eye Irrit. 2	H319	>=	10 < 25 %
	Skin Corr. 1B	H314	>=	25 %
	Skin Irrit. 2	H315	>=	10 < 25 %
	STOT SE 3	H335	>=	10 %

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note B

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Adhesive Nickel Bath JE303

Substance number: 662.0000:

Version: 3 / WORLD

Date revised: 22.10.2025

Replaces Version: 2 / WORLD

Print date: 01.04.2026

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, soaked clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

After inhalation

Ensure supply of fresh air. Remove affected person from danger area. Seek medical advice immediately.

After skin contact

Wash off immediately with soap and water. Seek medical advice immediately.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry powder

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

Other information

Trade name: Adhesive Nickel Bath JE303

Substance number: 662.0000:

Version: 3 / WORLD

Date revised: 22.10.2025

Replaces Version: 2 / WORLD

Print date: 01.04.2026

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations. Observe manufacturer's / distributor's instructions.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Perform filling operations only at stations with exhaust ventilation facilities. Provide suitable exhaust ventilation at the processing machines. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Provide solvent-resistant and impermeable floor.

Hints on storage assembly

Do not store together with foodstuffs.

Storage classes

Storage class according to TRGS 510 6.1D

Non-combustible substances of acute toxicity, category 3 / hazardous substances that are toxic or produce chronic effects

Further information on storage conditions

Keep under lock and key or accessible only to specialists or people who are authorized.

SECTION 8: Exposure controls/personal protection

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Adhesive Nickel Bath JE303

Substance number: 662.0000:

Version: 3 / WORLD

Date revised: 22.10.2025

Replaces Version: 2 / WORLD

Print date: 01.04.2026

8.1. Control parameters

Other information

Contains no substances with occupational exposure limit values.

8.2. Exposure controls

General protective and hygiene measures

Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn.

Hand protection

Chemical resistant gloves

Appropriate Material neoprene

Eye protection

Safety glasses with side protection shield; Face shield

Body protection

Clothing as usual in the chemical industry. Protective shoes

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	green
Odour	odourless
Melting point	
Remarks	not determined
Freezing point	
Remarks	not determined
Boiling point or initial boiling point and boiling range	
Remarks	not determined
Flammability	
evaluation	not determined
Upper and lower explosive limits	
Remarks	not determined
Flash point	
Remarks	Not applicable
Auto-ignition temperature	
Remarks	not determined
Decomposition temperature	

Trade name: Adhesive Nickel Bath JE303

Substance number: 662.0000:

Version: 3 / WORLD

Date revised: 22.10.2025

Replaces Version: 2 / WORLD

Print date: 01.04.2026

Remarks not determined

pH value

Value < 1

Viscosity

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

Density and/or relative density

Value = 1,08 to 1,1 g/ml

Relative vapour density

Remarks not determined

9.2. Other information

Odour threshold

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks not determined

Explosive properties

evaluation not determined

Oxidising properties

Remarks not determined

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Adhesive Nickel Bath JE303

Substance number: 662.0000:

Version: 3 / WORLD

Date revised: 22.10.2025

Replaces Version: 2 / WORLD

Print date: 01.04.2026

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Toxic gases/vapours, Irritant gases/vapours

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

ATE 917,4312 mg/kg

Method calculated value (Regulation (EC) No. 1272/2008)

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalational toxicity

ATE 4,5872 mg/l

Administration/Form Dust/Mist

Method calculated value (Regulation (EC) No. 1272/2008)

Remarks The classification criteria are met.

Skin corrosion/irritation

evaluation corrosive

Remarks The classification criteria are met.

Serious eye damage/irritation

evaluation corrosive

Remarks The classification criteria are met.

Sensitization

evaluation May cause sensitization by inhalation.

Remarks The classification criteria are met.

Subacute, subchronic, chronic toxicity

Remarks not determined

Mutagenicity

evaluation Suspected of causing genetic defects.

Remarks The classification criteria are met.

Reproductive toxicity

evaluation May damage the unborn child.

Remarks The classification criteria are met.

Carcinogenicity

evaluation May cause cancer by inhalation.

Remarks The classification criteria are met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks Based on available data, the classification criteria are not met.

Trade name: Adhesive Nickel Bath JE303

Substance number: 662.0000:

Version: 3 / WORLD

Date revised: 22.10.2025

Replaces Version: 2 / WORLD

Print date: 01.04.2026

Repeated exposure

Remarks

The classification criteria are met.

evaluation

Causes damage to organs through prolonged or repeated exposure

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

No toxicological data are available.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

12.2. Persistence and degradability

General information

not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient n-octanol/water (log value)

Remarks

not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Results of PBT and vPvB assessment

The product contains no PBT substances

The product contains no vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the environment

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Adhesive Nickel Bath JE303

Substance number: 662.0000:

Version: 3 / WORLD

Date revised: 22.10.2025

Replaces Version: 2 / WORLD

Print date: 01.04.2026

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations

13.1. Waste treatment methods




Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	3082	3082	3082
14.2. UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (nickel dichloride)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (nickel dichloride)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (nickel dichloride)
14.3. Transport hazard class(es)	9	9	9
Label			
14.4. Packing group	III	III	III
Remarks	The product is not subject to any other provisions of ADR provided packaging of not more than 5 l / 5 kg	The product is not subject to any other provisions of IMDG provided packaging of not more than 5 l / 5 kg	The product is not subject to any other provisions of IATA provided packaging of not more than 5 l / 5 kg (A197)
Limited Quantity	5 l	5 l	30 kg G
Transport category	3		
14.5. Environmental hazards			

Trade name: Adhesive Nickel Bath JE303

Substance number: 662.0000:

Version: 3 / WORLD

Date revised: 22.10.2025

Replaces Version: 2 / WORLD

Print date: 01.04.2026

Tunnel restriction code	-		
-------------------------	---	--	--

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other information

The product does not contain substances according to Candidate List for inclusion in Annex XIV of Regulation (EC) No. 1907/2006 (REACH) with a content of $\geq 0.1\%$ w/w.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4	H302	Calculation method
Acute Tox. 4	H332	Calculation method
Skin Corr. 1	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Muta. 2	H341	Calculation method
Carc. 1A	H350i	Calculation method
Repr. 1B	H360D	Calculation method
STOT RE 1	H372	Calculation method
Aquatic Chronic 2	H411	Calculation method

Hazard statements listed in Chapter 2/3

H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Adhesive Nickel Bath JE303

Substance number: 662.0000:

Version: 3 / WORLD

Date revised: 22.10.2025

Replaces Version: 2 / WORLD

Print date: 01.04.2026

H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

CLP categories listed in Chapter 2/3

Acute Tox. 3	Acute toxicity, Category 3
Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Carc. 1A	Carcinogenicity, Category 1A
Eye Dam. 1	Serious eye damage, Category 1
Met. Corr. 1	Substance or mixture corrosive to metals, Category 1
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 1B	Reproductive toxicity, Category 1B
Resp. Sens. 1	Respiratory sensitization, Category 1
Skin Corr. 1	Skin corrosion, Category 1
Skin Corr. 1B	Skin corrosion, Category 1B
Skin Irrit. 2	Skin irritation, Category 2
Skin Sens. 1	Skin sensitization, Category 1
STOT RE 1	Specific target organ toxicity - repeated exposure, Category 1
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.